



TechEasy Broiler Cage System

-more tech, more output-





TechEasy broiler cage is made of hot galvanized material, with a service life of up to 20 years.

The design of the three-tier cage improves the land utilization rate and is conducive to the management of the body weight of the broilers.

CAGE SYSTEM SPECIFICATIONS

Dimension /Unit (Mm)	Tier/Set	Cells per set	Birds Per Cell	Birds Per Set	Raising Period
1600*620*420	3	12	8	96	Day 1-55
1600*620*420	3	12	9	108	Day 1-45
1600*620*420	3	12	10	120	Day 1-35



Welded cage, stable structure, convenient installation.

Disassembled cage stand has no welding design, convenient for transportation and saves transportation costs.




Both cage meshes are hot galvanized wire mesh or Galfan mesh, which determines that the high corrosion resistance and long service life.

The surface of the cage mesh is smooth, avoiding the sharp edges and sharp points to stab the chickens, ensuring the health of the chickens.

Bottom mesh is densely welded, provide more space for broilers

Horizontal sliding door design, easy to open and close, convenient for management and epidemic prevention.



Place small feeders and drinkers in the first two weeks to make it easier for the chicks to eat and drink.

Place a plastic bottom mesh in the first two weeks to make it easier for the chicks to stand.

AUTOMATIC FEEDING SYSTEM




The feed silo is made of hot galvanized sheet to ensure that it is not easy to corrode outdoors.

The augers are made in Technical System with 125mm outer tube, which can deliver 4.5 tons feed per hour.

Easy feeding cart maintenance: open design, visual management of the internal storage, convenient for cleaning and maintenance.

Easy feeding management: the electric control box controls the entire feeding system, and one person can realize the feeding of the entire chicken house.



The height of the trough is easy to adjust: The height of the trough of the TechEasy broiler cage can be adjusted at will to ensure that chicks of different ages can eat normally.



AUTOMATIC DRINKING SYSTEM



Easy drinking water management: is equipped with imported medicine pumps and filter, which can provide healthy water source for breeding.

The position of the drinking spout is scientific, with 360° water output, making it easy for chickens to drink.




The height of the water line is easy to adjust to meet the drinking water needs of chickens of different ages.



AUTOMATIC MANURE REMOVAL SYSTEM

The automatic scraper manure removal machine is made of hot galvanized material, good anti-corrosion performance and low cost.

The machines in each row can operate independently, making it easier to remove chicken manure in any row.



The manure removal host is designed with guide wheels to run smoothly and with low noise, remove 90%—98% of chicken manure, and ensure clean air in the chicken house.



HENAN POUL TECH MACHINERY CO., LTD.



ADD: ROOM NORTHEAST, 14 FLOOR, NATIONAL UNIVERSITY TECH PARK, CHANGCHUN ROAD, ZHENGZHOU HIGH-TECH ZONE, HENAN, CHINA.

HOTLINE: +86-(0)371-56797621

EMAIL: poultech@aliyun.com poultrytech@yahoo.com

MOBILE (WhatsApp & WeChat): +86 13733845866

WEBSITE (English): www.cnpoultech.com